





# JD ICON LLS THE POWER OF T DESIGN



### **PRODUCT SPECIFICATIONS**

The JDIcon Plus T dental implants are available in the diameters and lengths shown in the following table:

IMPLANT DIAMETER	TIP DIAMETER	ABUTMENT INFERFACE	PLATFORM DIAMETER	BEVEL DIAMETER	WIDEST THREAD DIAMETER	LENGTH			
Ø 3,5	1,6	3,1	3,4	3,8	4,0		10	11,5	13
Ø 4,0	1,75	3,1	3,6	4,0	4,4	8,5	10	11,5	13
Ø 4,5	1,75	3,1	3,6	4,0	4,9	8,5	10	11,5	13
Ø 5,0	1,75	3,1	3,6	4,0	5,5	8,5	10	11,5	13
Ø 6,0	3,0	3,1	5,0	5,5	6,4	8,5	10	11,5	




Note: all measurements in mm

### **PRODUCT CATALOGUE**

Note: all measurements of diameters and lengths are in mm

#### Implants:

IM37100-0	JDIcon Plus Ø 3.5 L 10
IM37115-0	JDIcon Plus Ø 3.5 L 11.5
IM37130-0	JDIcon Plus Ø 3.5 L 13
ICT40080.	JDIcon Plus Ø 4.0 L 8.5
ICT40100.	JDIcon Plus Ø 4.0 L 10
ICT40115.	JDIcon Plus Ø 4.0 L 11.5
ICT40130.	JDIcon Plus Ø 4.0 L 13
ICT45080.	JDIcon Plus Ø 4.5 L 8.5
ICT45100.	JDIcon Plus Ø 4.5 L 10
ICT45115.	JDIcon Plus Ø 4.5 L 11.5
ICT45130.	JDIcon Plus Ø 4.5 L 13
ICT50080.	JDIcon Plus Ø 5.0 L 8.5
ICT50100.	JDIcon Plus Ø 5.0 L 10
ICT50115.	JDIcon Plus Ø 5.0 L 11.5
ICT50130.	JDIcon Plus Ø 5.0 L 13
ICT55080.	JDIcon Plus Ø 6.0 L 8.5
ICT55100.	JDIcon Plus Ø 6.0 L 10.0
ICT55115.	JDIcon Plus Ø 6.0 L 11.5



Note: All the prosthetic components are the same as JDIcon Plus implant line

## **DRILLING PROTOCOLS**

It is recommended to adhere to the indications of the following drilling sequence to ensure optimal primary stability of the implants.

	HEALED BONE		POST EXTRACTIVE BONE						
IMPLANT DIAMETER	SOFT BONE	MEDIUM-DENSE BONE	SOFT BONE	MEDIUM-DENSE BONE					
site preparation in maxilla									
Ø 3,5	2,0 2,4 2,8 up to the 1 <sup>st</sup> laser mark L 6mm	2.0 2.4 2.8 3.2 up to the 1 <sup>st</sup> laser mark L 6mm	2,0 2,4 2,8 3,2 up to the 1 <sup>st</sup> laser mark L 6mm	2,0 2,4 2,8 at the entrance					
Ø 4,0	2,0 2,4 2,8 3,2 at the entrance	2,0 2,4 2,8 3,2 up to the 1 <sup>st</sup> laser mark L 6-8mm 3,6 at the entrance	2,0 2,4 2,8 3,2 at the entrance	2.0 2.4 2.8 3.2 at the entrance					
Ø 4,5	2,0 2,4 2,8 3,2 3,6 up to the 1st laser mark L 6mm	2,0 2,4 2,8 3,2 3,6 up to the 1st laser mark L 6mm 4,0 at the entrance	2.0 2.4 2.8 3.2 3.6 at the entrance up to the 1st laser mark L 6mm	2.0 2.4 2.8 3.2 3.6 at the entrance up to the 1st laser mark L 6mm					
Ø 5,0	2,0 2,4 2,8 3,2 3,6 4,0 at the entrance	2,0 2,4 2,8 3,2 3,6 4,0 up to the 1st laser mark L 6mm 4,8 at the entrance	2.0 2.4 2.8 3.2 3,6 at the entrance	2.0 2.4 2.8 3.2 3.6 up to the 1st laser mark L 6mm 4.0 at the entrance					
Ø 6,0	2,0 2,4 2,8 3,2 3,6 4,0 4,8 up to the 1 <sup>st</sup> laser mark L 6mm	2.0 2.4 2.8 3.2 3.6 4.0 4.8 up to the 1st laser mark L 6mm	2.0 2.4 2.8 3.2 3.6 4.8 at the entrance	2.0 2.4 2.8 3.2 3.6 4.0 at the entrance 4.8 up to the 1st laser mark L 6mm					
		site preparation in m	andible						
Ø 3,5	2,0 2,4 2,8 3,2 up to the 1st laser mark L6mm	2.0 2.4 2.8 3.2 up to the 2 <sup>nd</sup> laser mark L8mm 3.6 up to the 1 <sup>st</sup> laser mark L 6mm	2.0 2.4 2.8	2,0 2,4 2,8 3,2 at the entrance					
Ø 4,0	2,0 2,4 2,8 3,2 3,6 up to the 2 <sup>nd</sup> laser mark L8mm	2,0 2,4 2,8 3,2 3,6 4,0 up to the 2 <sup>nd</sup> laser mark L8mm 4,4 up to the 1 <sup>st</sup> laser mark L 6mm	2.0 2.4 2.8 3.2 at the entrance	2,0 2,4 2,8 3,2 3,6 at the entrance					
Ø 4,5	2,0 2,4 2,8 3,2 3,6 at the entrance 4,0 at the entrance	2.0 2.4 2.8 3.2 3.6 4.0 4.4 4.8 at the entrance	2.0 2.4 2.8 3.2 3.6 at the entrance	2,0 2,4 2,8 3,2 3,6 4,0 at the entrance					
Ø 5,0	2,0 2,4 2,8 3,2 3,6 at the entrance 4,0 at the entrance	2.0 2.4 2.8 3.2 3.6 4.0 4.4 4.8 at the entrance	2.0 2.4 2.8 3.2 3,6 at the entrance	2,0 2,4 2,8 3,2 3,6 4,0 at the entrance					
Ø 6,0	2,0 2,4 2,8 3,2 3,6 4,0 4,8 at the entrance	2.0 2.4 2.8 3.2 3.6 4.0 4.4 4.8	2.0 2.4 2.8 3.2 3.6 4.8 at the entrance	2.0 2.4 2.8 3.2 3.6 4.0 4.8 up to the 1 <sup>st</sup> laser mark L 6mm					



Note: all measurements in mm



www.jdentalcare.com